## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Cairo LED-Außenwandleuchte Boss 5W

Supplier's address: Cairo Einkauf, Werner Heinsenberg Str. 14, 64823 Gross Umstadt, DE

Model identifier: EU1360-Q5-05-0 + EU1360-UR-05-0

Type of light source:

dimensions

without

Width

Depth

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	Not applicable		
(or other electric interface)			

(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	Nein
Colour-tuneable light source:	Nein	Envelope:	-
High luminance light source:	Nein		

High luminance	light source:	Nein			
Anti-glare shield	l:	Nein	Dimmable:	Yes	
Product parameters					
Parameter		Value	Parameter	Value	
		General product p	arameters:		
Energy consun mode (kWh/10 up to the neares	00 h), rounded	4	Energy efficiency class	E	
Useful luminous indicating if it resident in a sphere (36 cone (120º) or in (90º)	efers to the flux 50º), in a wide	465 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	-	
expressed in W	ower (P <sub>on</sub> ),	3,4	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00	
Networked stand for CLS, express rounded to the s	sed in W and	<del>-</del>	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	83	
Outer	Height	155	Spectral power	See image	

100

110

distribution in the

in last page

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load		
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-	
		Chromaticity	0,435	
		coordinates (x and y)	0,402	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	4	Survival factor	1,00	
the lumen maintenance factor	0,97			

(a)'-': not applicable; (b)'-': not applicable;